

California Department of Public Health
 Center for Infectious Diseases
 Division of Communicable Disease Control
 Infectious Diseases Branch
 Surveillance and Statistics Section
 MS 7306, P.O. Box 997377
 Sacramento, CA 95899-7377

Local ID Number _____

(Please use the same ID Number on the preliminary and final reports to allow linkage to the same case.)

Report Status (check one)

Preliminary Final

TYPHOID CARRIER CASE REPORT

Please complete this form only for chronic typhoid carriers.

PATIENT INFORMATION					
Last Name	First Name	Middle Name	Suffix	Primary Language	
Social Security Number (9 digits)		DOB (mm/dd/yyyy)	Age	<input type="checkbox"/> English <input type="checkbox"/> Spanish <input type="checkbox"/> Other: _____	
Address Number & Street - Residence		Apartment/Unit Number			
City/Town		State	Zip Code		
Census Tract	County of Residence		Country of Residence		
Country of Birth		If not U.S. Born - Date of Arrival in U.S. (mm/dd/yyyy)			
Home Telephone		Cellular Phone/Pager		Work/School Telephone	
E-mail Address		Other Electronic Contact Information			
Work/School Location		Work/School Contact			
Gender <input type="checkbox"/> Male <input type="checkbox"/> Female <input type="checkbox"/> Other: _____					
Pregnant? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unk		If Yes, Est. Delivery Date (mm/dd/yyyy)			
Medical Record Number		Patient's Parent/Guardian Name			
Occupation Setting (see list on page 5)		Other Describe/Specify			
Occupation (see list on page 5)		Other Describe/Specify			
Ethnicity (check one) <input type="checkbox"/> Hispanic/Latino <input type="checkbox"/> Non-Hispanic/Non-Latino <input type="checkbox"/> Unk					
Race* (check all that apply, race descriptions on page 5) <input type="checkbox"/> African-American/Black <input type="checkbox"/> American Indian or Alaska Native <input type="checkbox"/> Asian (check all that apply) <input type="checkbox"/> Asian Indian <input type="checkbox"/> Japanese <input type="checkbox"/> Cambodian <input type="checkbox"/> Korean <input type="checkbox"/> Chinese <input type="checkbox"/> Laotian <input type="checkbox"/> Filipino <input type="checkbox"/> Thai <input type="checkbox"/> Hmong <input type="checkbox"/> Vietnamese <input type="checkbox"/> Other: _____					
<input type="checkbox"/> Pacific Islander (check all that apply) <input type="checkbox"/> Native Hawaiian <input type="checkbox"/> Samoan <input type="checkbox"/> Guamanian <input type="checkbox"/> Other: _____					
<input type="checkbox"/> White <input type="checkbox"/> Other: _____ <input type="checkbox"/> Unk					
*Comment: self-identity or self-reporting The response to this item should be based on the patient's self-identity or self-reporting. Therefore, patients should be offered the option of selecting more than one racial designation.					
CLINICAL INFORMATION					
Physician Name - Last Name			First Name		Telephone Number
SIGNS AND SYMPTOMS					
Symptomatic? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unk		Onset Date (mm/dd/yyyy)		Date First Sought Medical Care (mm/dd/yyyy)	

First three letters of patient's last name:

--	--	--

PAST MEDICAL HISTORY

Previous history of typhoid fever? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unk	Approximate Date (mm/dd/yyyy)	Address at that Time
---	-------------------------------	----------------------

Other (specify) _____

LABORATORY INFORMATION

LABORATORY RESULTS SUMMARY - FIRST ISOLATION

Name of First Laboratory to Culture S. Typhi	Telephone Number
--	------------------

S. Typhi isolated from surgically removed tissues, organs, or draining lesions?
Yes No Unk

LABORATORY RESULTS SUMMARY - DETAILS

Specimen Type 1 <input type="checkbox"/> Blood <input type="checkbox"/> Stool <input type="checkbox"/> Unk <input type="checkbox"/> Gall bladder <input type="checkbox"/> Other: _____	Type of Test	Collection Date (mm/dd/yyyy)	Results
Specimen Type 2 <input type="checkbox"/> Blood <input type="checkbox"/> Stool <input type="checkbox"/> Unk <input type="checkbox"/> Gall bladder <input type="checkbox"/> Other: _____	Type of Test	Collection Date (mm/dd/yyyy)	Results
Specimen Type 3 <input type="checkbox"/> Blood <input type="checkbox"/> Stool <input type="checkbox"/> Unk <input type="checkbox"/> Gall bladder <input type="checkbox"/> Other: _____	Type of Test	Collection Date (mm/dd/yyyy)	Results
Specimen Type 4 <input type="checkbox"/> Blood <input type="checkbox"/> Stool <input type="checkbox"/> Unk <input type="checkbox"/> Gall bladder <input type="checkbox"/> Other: _____	Type of Test	Collection Date (mm/dd/yyyy)	Results

EPIDEMIOLOGIC INFORMATION

CONTACTS - OTHER ILL PERSONS

History of cases of typhoid fever or similar illness among patient's previous or current associates? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unk	Total Number of Cases Traced to Carrier _____ (number) <input type="checkbox"/> Unk
---	--

ILL CONTACTS - DETAILS

Name 1	Age	Gender	Telephone Number	Type of Contact / Relationship	Date of Contact (mm/dd/yyyy)
	Street Address			Exposure Event	Illness Onset Date (mm/dd/yyyy)
	City	State	Zip Code	Occupation	Sensitive occupation / situation? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unk
	Was illness in this contact traced to carrier? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unk				
Name 2	Age	Gender	Telephone Number	Type of Contact / Relationship	Date of Contact (mm/dd/yyyy)
	Street Address			Exposure Event	Illness Onset Date (mm/dd/yyyy)
	City	State	Zip Code	Occupation	Sensitive occupation / situation? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unk
	Was illness in this contact traced to carrier? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unk				

First three letters of patient's last name:

--	--	--

NOTES / REMARKS

REPORTING AGENCY

<i>Investigator Name</i>	<i>Local Health Jurisdiction</i>	<i>Telephone Number</i>	<i>Date (mm/dd/yyyy)</i>
--------------------------	----------------------------------	-------------------------	--------------------------

First Reported By
 Clinician Laboratory Other (specify): _____

EPIDEMIOLOGICAL LINKAGE

Epi-linked to known case?
 Yes No Unk

DISEASE CASE CLASSIFICATION (NOTE: ONLY CHRONIC CARRIERS ARE REPORTABLE TO THE STATE.)

Type of Carrier (see case definition below)
 Convalescent Chronic Other (specify): _____

<i>Infected for ≥ 3 months?</i> <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unk	<i>Infected for ≥ 12 months?</i> <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unk	<i>Clinically diagnosed?</i> <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unk	<i>Diagnosis Date (mm/dd/yyyy)</i>
--	---	---	------------------------------------

STATE USE ONLY

State Case Classification
 Confirmed Not a case Need additional information

CASE DEFINITION

TYPHOID CARRIER CASE DEFINITION, RESTRICTIONS, AND SUPERVISION ADAPTED FROM TITLE 17, CCR, SECTION 2628

DEFINITION OF CARRIERS

1. Convalescent Carriers:
 Any person who harbors typhoid bacilli for three or more months after onset is defined as a convalescent carrier. Convalescent carriers may be released when three consecutive negative specimens of feces and urine taken at intervals of not less than one month, beginning at least one week after discontinuation of specific therapy are obtained. Such release may be granted at any time from 3-12 months after onset.

2. Chronic Carriers:
 If the person continues to excrete typhoid bacilli for more than 12 months after onset of typhoid fever, he/she is defined as a chronic carrier. Any person who gives no history of having had typhoid fever or who had the disease more than one year previously, and whose feces or urine are found to contain typhoid bacilli on two separate examinations at least 48 hours apart, confirmed by State's Microbial Diseases Laboratory, is also defined as a chronic carrier. All carriers shall be reported to the local health officer. Such reports shall be kept confidential and shall not be divulged to persons other than the carrier and his/her immediate family, except as may be required for the protection of the public health.

3. Other Carriers:
 A person should be held under surveillance if typhoid bacilli are isolated from surgically removed tissues, organs, e.g., gall bladder, kidney, etc., or from draining lesions such as osteomyelitis. If the person continues to excrete typhoid bacilli for more than 12 months, he/she is defined as a chronic carrier and may be released after satisfying the criteria for other chronic carriers.

(continued on page 4)

CASE DEFINITION (continued)**CARRIER RESTRICTIONS AND SUPERVISION**

When any known or suspected carrier of this disease is reported to the local health officer, he/she shall make an investigation and submit a report to the State Department of Public Health. He/she shall have performed laboratory work as defined in the laboratory section below. Any known or suspected carrier of this disease shall be subject to modified isolation and the provisions of this isolation shall be considered as fulfilled during such period as he/she complies with the instructions issued by the State Department of Public Health and the local health officer.

1. Restrictions:

a. Carrier:

The patient shall not take any part in the preparation, serving, or handling of milk or other food to be consumed by individuals other than his/her immediate family, or participate in the management of a dairy, milk distributing plant, boarding house, restaurant, food store, or any place where food is prepared or stored, or engage in any occupation involving the direct care of young children or the elderly or of patients in hospitals or other institutional settings until release specimens have been obtained, as described above, and are negative for typhoid organisms. (See Section 2534.) Instructions shall be given to the carrier in writing by the local health office.

b. Contact:

There are no restrictions on contacts, except that any member of the patient's household shall not take part in the preparation, serving, or handling of milk or other food to be consumed by individuals, other than the immediate family, except at the discretion and under the restrictions of the local health officer.

2. Supervision:

The local health officer or his/her representative shall communicate with each carrier living within his/her jurisdiction at least twice a year to learn of any changes to the carrier's address, occupation, or activities, and to determine whether all instructions are being carried out. The local health officer shall submit a report to the State Department of Public Health every six months on each carrier in his/her jurisdiction. Any changes of address shall be reported immediately.

LABORATORY TESTS

Whenever laboratory tests are required for the release of typhoid cases or carriers, the tests shall be taken by the local health officer or his/her representatives under such conditions that he/she can certify as to their being authentic specimens of individual, and shall be submitted to a public health laboratory approved by the State Department of Public Health. Cultures from release specimens which are found positive by the approved laboratory shall be forwarded to the State Department of Public Health's Microbial Diseases Laboratory.

REQUIREMENTS FOR RELEASE OF CHRONIC CARRIERS

Any person ascertained to be a chronic typhoid carrier may be released from supervision by the Director of the State Department of Public Health or his/her designated representative provided the carrier applies for such release through his/her local health officer and fulfills the requirements specified by the Director of the State Department of Public Health or his/her designated representative.

1. Fecal Carriers:

A person who has been determined to be a chronic fecal carrier may be released if six successive authentic stool and urine specimens taken at intervals of not less than one month are determined to be negative by a public health laboratory approved by the State Department of Public Health. If any one of these specimens is positive, he/she shall not be released unless the carrier condition has been cured by cholecystectomy, or by such other methods as are acceptable to the State Department of Public Health. The necessary requirements for such release will be submitted to the carrier and to the local health officer by the State Department of Public Health when application for the release is submitted.

2. Cholecystectomy:

The local health officer or, in areas not served by a local health department, the Director of the State Department of Public Health, shall be notified before a cholecystectomy is undertaken unless a specimen of duodenal contents, containing bile, has been found positive for typhoid bacilli, since in some cases the infection is not localized in the gall bladder. The patient shall be released under the same conditions as outlined for a fecal carrier.

3. Urinary Carrier:

A person who has been determined to be a chronic urinary carrier may be released if six successive authentic urine specimens taken at intervals of not less than one month are determined to be negative by a public health laboratory approved by the State Department of Public Health. If any one of these specimens is positive, he/she may be released following the surgical removal of the infected kidney or by such other methods as are acceptable to the State Department of Public Health. The necessary requirements for such release will be submitted to the carrier and to the local health officer by the State Department of Public Health when application for the release is submitted.

NOTE: Authority cited: Sections 208 and 3123, Health and Safety Code. Reference: Section 3123, Health and Safety Code.

RACE DESCRIPTIONS	
Race	Description
American Indian or Alaska Native	Patient has origins in any of the original peoples of North and South America (including Central America).
Asian	Patient has origins in any of the original peoples of the Far East, Southeast Asia, or the Indian subcontinent (e.g., including Bangladesh, Cambodia, China, India, Indonesia, Japan, Korea, Malaysia, Nepal, Pakistan, the Philippine Islands, Thailand, and Vietnam).
Black or African American	Patient has origins in any of the black racial groups of Africa.
Native Hawaiian or Other Pacific Islander	Patient has origins in any of the original peoples of Hawaii, Guam, American Samoa, or other Pacific Islands.
White	Patient has origins in any of the original peoples of Europe, the Middle East, or North Africa.
OCCUPATION SETTING	
<ul style="list-style-type: none"> • Childcare/Preschool • Correctional Facility • Drug Treatment Center • Food Service • Health Care - Acute Care Facility • Health Care - Long Term Care Facility • Health Care - Other 	<ul style="list-style-type: none"> • Homeless Shelter • Laboratory • Military Facility • Other Residential Facility • Place of Worship • School • Other
OCCUPATION	
<ul style="list-style-type: none"> • Adult film actor/actress • Agriculture - farmworker or laborer (crop, nursery, or greenhouse) • Agriculture - field worker • Agriculture - migratory/seasonal worker • Agriculture - other/unknown • Animal - animal control worker • Animal - farm worker or laborer (farm or ranch animals) • Animal - veterinarian or other animal health practitioner • Animal - other/unknown • Clerical, office, or sales worker • Correctional facility - employee • Correctional facility - inmate • Craftsman, foreman, or operative • Daycare or child care attendee • Daycare or child care worker • Dentist or other dental health worker • Drug dealer • Fire fighting or prevention worker • Flight attendant • Food service - cook or food preparation worker • Food service - host or hostess • Food service - server • Food service - other/unknown • Homemaker • Laboratory technologist or technician • Laborer - private household or unskilled worker • Manager, official, or proprietor • Manicurist or pedicurist • Medical - emergency medical technician or paramedic • Medical - health care worker 	<ul style="list-style-type: none"> • Medical - medical assistant • Medical - pharmacist • Medical - physician assistant or nurse practitioner • Medical - physician or surgeon • Medical - nurse • Medical - other/unknown • Military • Police officer • Professional, technical, or related profession • Retired • Sex worker • Stay at home parent/guardian • Student - preschool or kindergarten • Student - elementary or middle school • Student - high school • Student - college or university • Student - other/unknown • Teacher/employee - preschool or kindergarten • Teacher/employee - elementary or middle school • Teacher/employee - high school • Teacher/instructor/employee - college or university • Teacher/instructor/employee - other/unknown • Unemployed - seeking employment • Unemployed - not seeking employment • Unemployed - other/unknown • Volunteer • Other • Refused • Unknown