for accepted with PRINTED: 10/23/2012 FORM APPROVED

PCS) DATE SURVEY STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CUA D(2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION COMPLETED DENTIFICATION NUMBER: A BUILDING B. WING CA070000149 00/24/2012 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 761 SOUTH BASCOM AVENUE SANTA CLARA VALLEY MEDICAL CENTER SAN JOSE, CA 95128 SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) PROVIDER'S PLAN OF CORRECTION COMPLETE **(EACH CORRECTIVE ACTION SHOULD BE** PREFIX PREFIX CROSS-REFERENCED TO THE APPROPRIATE TAG TAG DEPICIENCY A 001 A 001 Informed Medical Breach Health and Safety Code Section 1280.15 (b)(2), " A clinic, health facility, agency, or hospice shall also report any unlawful or unauthorized access to, or use or disclosure of, a patient's medical information to the affected patient or the patient's representative at the last known address, no later than five business days after the unlawful or unauthorized access, use, or disclosure has been detected by the clinic, health facility, agency, or hospice." The CDPH verified that the facility informed the affected patient(s) or the patient's representative(s) of the uniqueful or unauthorized access, use or disclosure of the patient's medical information. F 000 E 000 Initial Comments The following reflects the findings of the California Department of Public Health during the investigation of an entity reported incident conducted on For Entity Reported Incident CA00315460 regarding State Monitoring, Privacy Breach, a State deficiency was identified (see California Code of Regulations, Title 22, Section 70707(b) (7)). CALIFORNIÁ DEPARTMENT OF PUBLIC HEALTH Inspection was limited to the entity reported incident investigated and does not represent the NOV 5 2012 findings of a full inspection of the hospital. L & C DIVISION Representing the California Department of Public SAN JOSE Health was 28767, Health Facilities Evaluator Nurse. Licensing and Certification Division Indy TITLE

LABORATORY DIRECTOR'S OR PHOVIDER RUPPLIER REPRESENTATIVE'S SIGNATURE STATE FORM

California Department of Public Health

Bryenn

Johnson

C 20

11/5/12

(XII) DATE

California Department of Public Health STATEMENT OF DEFICIENCIES (X3) DATE SURVEY (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION COMPLETED DENTIFICATION NUMBER: A BUILDING 8. WING_ CA070000149 08/24/2012 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 751 SOUTH BASCOM AVENUE SANTA CLARA VALLEY MEDICAL CENTER **SAN JOSE, CA 95128** SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION EACH DEFICIENCY MUST BE PRECEDED BY FULL EACH CORRECTIVE ACTION SHOULD BE COMPLETE PRÉFIX PREFIX CROSS-REFERENCED TO THE APPROPRIATE TAG REGULATORY OR LSC IDENTIFYING INFORMATION) TAG DEFICIENCY E1952 F1952 Continued From page 1 1. The Compliance & Privacy Officer 6/22/12 notified the patient regarding the E1952 T22 DIV5 CH1 ART7-70707(b)(7) Patients' E1952 breach. Rights 8/13/12 (b) A list of these patients' rights shall be posted 2. The Compliance representative in both Spanish and English in appropriate places and had a phone conference with the within the hospital so that such rights may be 8/18/12 Contractor's Compliance Officer to read by patients. This list shall include but not be discuss the breach and corrective limited to the patients' rights to: actions. The contractor has (7) Full consideration of privacy concerning the provided documentation of the medical care program. Case discussion. following actions taken: consultation, examination and treatment are confidential and should be conducted discreetly. a. The Contractor's The patient has the right to be advised as to the 8/19/12 Compliance Officer met reason for the presence of any individual. with employee who violated the patient protected health This Statute is not met as evidenced by: information (PHI) to Based on interview and record review, the discuss the privacy hospital failed to provide confidential medical - Ì treatment for two of two sampled patients (1, 2). violations Findinas: b. Disciplinary action was 12 at 11 a.m. during an entity reported taken 8/19/12 incident investigation, the privacy officer stated an employee of one of their business associates (company contracted to provide billing services) c. The Contractor will be accessed medical records for Patient 1 and conducting a Privacy Patient 2 without a business related reason to do refresher course with 11/22/12 so. After an internal investigation, employee A all employees. admitted to accessing medical records for Patient 1 and Patient 2 out of curiosity and because she was asked to do so by a friend. 3. The Contractor will meet with 11/22/12 their quality team to ensure On the above same day and time the hospital continued quality assurance and provided the contract with the above business 2006 which indicated the associate dated emphasize the importance of business associate would comply with all the safeguarding our patient's privacy. hospital's privacy rules and regulations.

Salifornia Department of Public Health							
STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIENCLIA IDENTIFICATION NUMBER:		(X2) MALTIPLE CONSTRUCTION A BUILDING B. WING		DIS) DATE SURVEY COMPLETED C 08/24/2012	
		CA070000140				00/2	4/2012
					ITATE, ZIP CODE		
SANTA C	LARA VALLEY MEDI	CAL CENTER		TH BASCOM E, CA 96128			
(X4) ID PREPIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECT (EACH CORRECTIVE ACTION SHOU CROSS-REFERENCED TO THE APPRO DEFICIENCY)	OULD BE COMPLETE	
E1962	Continued From page 2			E1962			
	(log indicating whice patient's medical re 2, indicated employ medical record on 2's medical record information disclose	ed included the patio	cessed the and Patient 1's and Patient 1's and Patient 11'11.				
					CO OF THE DIPARTICEN	,	
					TO HE HEALTH	. :	
					NOV - 5 2012		
							1
					ECC DIVISION SAN JOSE		
							i
•							

VWQV11