STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

(X1) PROVIDER/SUPPLIER/CLIA **IDENTIFICATION NUMBER:**

(X2) MULTIPLE CONSTRUCTION

(X3) DATE SURVEY **COMPLETED**

050039

A. BUILDING **B.WING**

04/09/2007

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

ENLOE MEDICAL CENTER - ESPLANADE

1531 ESPLANADE, CHICO, CA 95926 BUTTE COUNTY

(X4) ID **PREFIX** TAG

SUMMARY STATEMENT OF DEFICIENCIES. (EACH DEFICIENCY MUST BE PRECEEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)

ID **PREFIX** TAG

PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)

(X5)COMPLETE DATE

E 000 Initial Comments

The following represents the findings of the California Department of Public Health, formerly known as the Department of Health Services, during a complaint validation survey conducted 4/3/07 - 4/9/07.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

Representing the Department:



Event ID:VS2712

10:33:03AM

TITLE

8/10/2007

(X6) DATE

Any deficiency statement ending with an asterisk (0) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. Except for nursing homes, the findings above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

State-2561

(X1) PROVIDERISUPPUERICLIA

IDENTIFICATION NUMBER: (X2) MULTIPLE CONSTRUCTION A.

BUILDING

B.WING

(X3) DATE SURVEY COMPLETED

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

050039

04/09/2007

NAME OF PROVIDER OR SUPPLIER

1280.1

STREET ADDRESS, CITY, STATE, ZIP CODE

ENLOE MEDICAL CENTER - ESPLANADE

1531 ESPLANADE, CHICO, CA 95926 BUTTE COUNTY

(X4) 10 PREFIX TAG

SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)

10 PREFIX TAG PROVIDER'S PLAN OF CORRECTION
(EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)

(X5) COMPLETE DATE

Continued From page 1

Health and Safety Code:

1280.1. (a) If a licensee of a health facility licensed under subdivision (a), (b), or (f) of Section 1250 receives a notice of deficiency constituting an immediate jeopardy to the health or safety of a patient and is required to submit a plan of correction, the department may assess the licensee an administrative penalty in an amount not to exceed twenty-five thousand dollars (\$25,000) per violation.

(b) If the licensee disputes a determination by the department regarding the alleged deficiency or the alleged failure to correct a deficiency, or regarding the reasonableness of the proposed deadline for correction or the amount of the penalty, the licensee may, within 10 days, request a hearing pursuant to Section 100171. Penalties shall be paid when appeals have been exhausted and the department's position has been upheld.

10:33:03AM

Event ID:VS2712

8/10/2007

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

Any deficiency statement ending with an asterisk fir) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. Except for nursing homes, the findings above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disdosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

(X1) PROVIDER/SUPPLIER/CLIA

IDENTIFICATION NUMBER:

(X2) MULTIPLE CONSTRUCTION A.

(X3) DATE SURVEY COMPLETED

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

050039

BUILDING

B.WING

04/09/2007

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

ENLOE MEDICAL CENTER - ESPLANADE

1531 ESPLANADE, CHICO, CA 95926 BUTTE COUNTY

(X4) ID SUMMARY STATEMENT OF DEFICIENCIES (EACH ID PROVIDER'S PLAN OF CORRECTION (X5) COMPLETE PREFIX DEFICIENCY MUST BE PRECEEDED BY FULL PREFIX (EACH CORRECTIVE ACTION SHOULD BE CROSS-TAG REGULATORY OR LSC IDENTIFYING INFORMATION)

TAG REFERENCED TO THE APPROPRIATE DEFICIENCY)

Continued From page 2

- (c) For purposes of this section Ilimmediate jeopardyll means a situation in which the licensee's noncompliance with one or more requirements of licensure has caused, or is likely to cause, serious injury or death to the patient.
- (d) This section shall apply only to incidents occurring on or after January 1, 2007.
- (e) No new regulations are required or authorized for implementation of this section.

DEFICIENCY CONSTITUTING IMMEDIATE JEOPARDY:

E 475 T22 DIV5 CHi ART3-70263(c)(1)

(1) The committee shall develop written policies and procedures for establishment of safe and effective systems for procurement, storage, distribution, dispensing and use of drugs and chemicals. The

8/10/2007 10:33:03AM

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. Except for nursing homes, the findings above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

State-2567 3 of 10

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

(Xi) PROVIDER/SUPPLIERICLIA IDENTIFICATION NUMBER:

(X2) MULTIPLE CONSTRUCTION A.

(X3) DATE SURVEY COMPLETED

050039

BUILDING B WING

04/09/2007

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

ENLOE MEDICAL CENTER - ESPLANADE

1531 ESPLANADE, CHICO, CA 95926 BUTTE COUNTY

(X4) 10 PREFIX TAG

SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)

ID PREFIX TAG PROVIDER'S PLAN OF CORRECTION
(EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)

(X5) COMPLETE DATE

Continued From page 3

pharmacist in consultation with other appropriate health professionals and administration shall be responsible for the development and implementations of procedures. Policies shall be approved by the governing body. Procedures shall be approved by the administration and medical staff where such is appropriate;

Based on interview, medical record review, and document review; the hospital failed to provide safe patient care, by failing to develop written policies and procedures for the safe and effective system of dispensing and use of drugs, and by exposing patients to undue adverse. medication consequences as evidenced by:

* Failure to monitor patients on droperidol (Inapsine) for emergence of potentially fatal arrhythmias.

Event ID:VS27i2 8/10/2007 10:33:03AM

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. Except for nursing homes, the findings above are disclosable 90 days following the date of survey whether or not a plan of cC?rrection is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If defiCiencies are cited, an approved plan of correction is requisite to continued program participation.

State-2567

40110

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

(X 1) PROVIDER/SUPPLIER/CLJA IDENTIFICATION NUMBER:

(X2) MULTIPLE CONSTRUCTION

(X3) DATE SURVEY COMPLETED

050039

A. BUILDING B.WING

04/09/2007

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

ENLOE MEDICAL CENTER - ESPLANADE

1531 ESPLANADE, CHICO, CA 95926 BUTTE COUNTY

(X4) ID PREFIX TAG SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)

ID PREFIX TAG PROVIDER'S PLAN OF CORRECTION
(EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)

(X5) COMPLETE DATE

Continued From page 4

•• Hospital promotion of droperidol (Inapsine) as a first line agent, and for clinical conditions not supported by manufacturer's specifications.

Findings:

Droperidol (Inapsine) has a black box warning from the manufacturer. The warning states, "Cases of QT prolongation and/or torsades de pointes have been reported in patients receiving I napsine (droperidol) with doses at or below recommended doses. Some cases have occurred in patients with no known risk factors for QT prolongation and some cases have been fatal.

Due to its potential for serious proarrhythmic effects and death, Inapsine (droperidol) should be reserved for use in the treatment of patients who fail to show an acceptable response to other adequate treatments, either because of insufficient effectiveness, or the

8/1012007

10:33:03AM

Event ID:VS2712

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. Except for nursing homes, the findings above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

(X1) PROVIDERISUPPLIER/CLIA IDENTIFICA nON NUMBER:

(X2) MULTIPLE CONSTRUCTION

(X3) DATE SURVEY COMPLETED

050039

B.WING

A. BUILDING

04/09/2007

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

ENLOE MEDICAL CENTER - ESPLANADE

1531 ESPLANADE, CHICO, CA 95926 BUTTE COUNTY

(X4) 10 PREFIX ,TAG

SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)

10 PREFIX TAG PROVIDER'S PLAN OF CORRECTION
(EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)

(X5) COMPLETE DATE

Continued From page 5

inability to achieve an effective dose due to intolerable adverse effects from those drugs.

Cases of QT prolongation and serious arrhythmias (e.g., torsades de pointes) have been reported in patients treated with droperidol. Based on these reports, all patients should undergo a 12-lead ECG prior to administration of Inapsine (droperidol) to determine if a prolonged QT interval (Le., QTc greater than 440 msec for males or 450 msec for females) is present. If there is a prolonged QT interval, Inapsine (droperidol) should NOT be administered. For patients in whom the potential benefit of Inapsine (droperidol) treatment is felt to outweigh the risks of potentially serious arrhythmias, ECG monitoring should be performed prior to treatment and continued for 2-3 hours after completing treatment to monitor for arrhythmias."

8/10/2007

10:33:03AM

Event ID:VS2712

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (") denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. Except for nursing homes, the findings above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

State-2567

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

(X 1) PROVIDERISUPPLIER/CLIA IDENTIFICATION NUMBER:

(X2) MULTIPLE CONSTRUCTION A.

(X3) DATE SURVEY COMPLETED

050039

BUILDING B.WING

04/09/2007

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

ENLOE MEDICAL CENTER - ESPLANADE

1531 ESPLANADE. CHICO, CA 95926 BUTTE COUNTY

(X4) 10 PREFIX TAG

SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)

10 PREFIX TAG PROVIDER'S PLAN OF CORRECTION

(EACH CORRECTIVE ACTION SHOULD BE CROSSREFERENCED TO THE APPROPRIATE DEFICIENCY)

COMPLETE DATE

Continued From page 6

Torsades de Pointes is a cardiac arrhythmia, which may cause blackouts or sudden death.

The aT interval represents the duration of ventricular depolarization and subsequent repolarization. A delay in cardiac repolarization creates an electrophysiological environment that favors the development of cardiac arrhythmias, most clearly torsade de pointes (TdP), but possibly other ventricular tachyarrhythmias as well.

Because of its inverse relationship to heart rate, the measured aT interval is routinely corrected by means of various formulas to a less heart rate dependent value known as the aTc interval.

According to the Federal Food and Drug Administration (FDA) MedWatch Program a "Dear Health Care Professional" letter was sent out by the manufacturer of droperidol on December 4, 2001.

10:33:03AM

Event ID:VS2712

8/10/2007

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protect~on to the patients. Except for nursing homes, the findings above are disclosabJe 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an <u>approved plan of correction is reqUisite</u> to continued program participation.

State-2567

(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:

(X2) MULTIPLE CONSTRUCTION A.

BUILDING

B.WING

(X3) DATE SURVEY COMPLETED

COMPLETE

DATE

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

050039

04/09/2007

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

ENLOE MEDICAL CENTER - ESPLANADE

1531 ESPLANADE, CHICO, CA 95926 BUTTE COUNTY

(X4) ID SUMMARY STATEMENT OF DEFICIENCIES (EACH 10 PROVIDER'S PLAN OF CORRECTION
PREFIX DEFICIENCY MUST BE PRECEEDED BY FULL PREFIX (EACH CORRECTIVE ACTION SHOULD BE CROSSTAG REGULATORY OR LSC IDENTIFYING INFORMATION) TAG REFERENCED TO THE APPROPRIATE DEFICIENCY)

Continued From page 7

The letter was to warn all health care professionals about the potential of serious and fatal arrhythmias associated with the use of the medication. The exact language of the warning sent was the language printed in the manufacturer's black box labeling information.

During medical record reviews on 4/3/07 and 4/4/07, it was noted that droperidol was one of medications listed on the 5/05, preprinted post anesthesia care unit orders. It was also noted that the preprinted orders did not include the manufacturer or FDA guidance of monitoring the electrocardiogram (EKG), prior, during, and after administration of droperidol.

On 4/5/07 beginning at 9 am, surgical staff stated that pharmacy staff stocked droperidol in all of the anesthesia kits. During an interview, a post anesthesia care unit nurse stated that she could not remember the last time she had administered, or was aware, that

Event ID:VS2712

8110/2007

10:33:03AM

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE (X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. Except for nursing homes, the findings above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an <u>approved plan of correction is requisite to continued program participation.</u>

State-2567 8of10

(Xi) PROVIDERISUPPLIERICLIA IDENTIFICATION NUMBER:

(X2) MULTIPLE CONSTRUCTION

(X3) DATE SURVEY COMPLETED

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

050039

A. BUILDING B.WING

04/09/2007

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

ENLOE MEDICAL CENTER - ESPLANADE

1531 ESPLANADE, CHICO, CA 95926 BUTTE COUNTY

(X4) ID PREFIX TAG

SUMMARY STATEMENT OF DEFICIENCIES
(EACH DEFICIENCY MUST BE PRECEEDED BY FULL
REGULATORY OR LSC IDENTIFYING INFORMATION)

ID PREFIX TAG PROVIDER'S PLAN OF CORRECTION
(EACH CORRECTIVE ACTION SHOULD BE CROSSREFERENCED TO THE APPROPRIATE DEFICIENCY)

(X5) COMPLETE DATE

Continued From page 8

droperidol had been administered to a patient.

A request was made to review the nursing policy and procedure related to the administration of droperidol. Nursing staff stated that they did not have a policy or procedure related to the administration of droperidol.

On 4/5/07 at 10:40 am, a request was made for pharmacy staff to provide a report of droperidol use at the main campus surgery, and the outpatient surgery site. The main hospital use report showed that surgery had used droperidol 6 times out of the last 6 months. The report also showed that the use of droperidol had increased. The outpatient surgery report showed that droperidol was used 5 times out of the last 11 months, and as recently as 2/07 and 3/07.

During a concurrent interview pharmacy staff stated that they were not aware that droperidol use had

10:33:03AM

Event ID:VS2712

8/10/2007

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. Except for nursing homes, the findings above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

(X1) PROVIDER/SUPPLIERICLIA IDENTIFICATION NUMBER:

(X2) MULTIPLE CONSTRUCTION

B.WING

(X3) DATE SURVEY COMPLETED

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

050039 A. BUILDING

04/09/2007

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

ENLOE MEDICAL CENTER - ESPLANADE

1531 ESPLANADE, CHICO, CA 95926 BUTTE COUNTY

(X4) 10 PREFIX TAG

SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)

ID PREFIX TAG PROVIDER'S PLAN OF CORRECTION
(EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)

(X5) COMPLETE DATE

Continued From page 9

increased. Pharmacy staff stated they were aware of the black box warning, and that it had been over two years since pharmacy assessed the use of droperidol.

On 4/5/07 at 12:45 pm, the hospital was informed that Immediate Jeopardy had been declared because of failure to ensure that written policies and procedures were developed for the safe use of drugs with known adverse medication consequences.

This violation(s) has caused or is likely to cause serious injury or death to the patient (5).

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

10:33:03AM

Event ID:VS2712

8/10/2007

(X6) DATE

TITLE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. Except for nursing homes, the findings above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.