STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTI A. BUILDIN	PLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED 08/30/2007	
	050324			B. WING			
NAME OF PROVIDER OR SUPPLIER SCRIPPS MEMORIAL HOSPITAL - LA JOLLA			STREET ADDRESS 9888 GENESEE		ZIP CODE A JOLLA, CA 92037 SAN DIEGO COU	NTY	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORREC' (EACH CORRECTIVE ACTION SHOULD REFERENCED TO THE APPROPRIATE D	BE CROSS- COMPLETE	
Event ID:	JEOPARDY E1947 T22 DIV5 CH1 Rights (b) A list of these paraboth Spanish and within the hospital so by patients. This list the patients' rights to: (2) Considerate and re	health facility lices or (f) of Sections 1 and property constituting are hor safety of a para a plan of consassess the lice in an amount not \$25,000) per violation in Which the one or more requirements. ONSTITUTING ART 70707(b)(2) Attents' rights shall he line to the property of that such rights in shall include but in shall include but in the lice.	ensed under 250 receives in immediate atient and is rection the censee and it to exceed in. Ite jeopardy" licensee's uirements of ause serious MMEDIATE Patients' De posted in riate places hay be read	12:37	:15PM		
LVEIIL ID.	I I -IOINICI		3/10/2000	12.37	. 101 111		

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. Except for nursing homes, the findings above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

State-2567 1 of 6

TITLE

(X6) DATE

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING			(X3) DATE SURVEY COMPLETED		
		050324		B. WING	_		08/30	0/2007	
			STREET ADDRESS, 9888 GENESEE A			CA 92037 SAN DIEGO COL	JNTY		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	•	PROVIDER'S PLAN OF CORRECT HE CORRECTIVE ACTION SHOULD RENCED TO THE APPROPRIATE	CTION SHOULD BE CROSS- COMPLETI		
	Continued From page								
	E1969 T22 DIV5 CH Rights	Patients'							
	(d) All hospital personnel shall observe these patients' rights.								
	This REGULATION: is not met as evidenced by:								
	Based on multiple staff interviews and medical record review, the facility acting through its' hospital personnel failed to protect 1 of 1 patients from verbal and physical abuse. Patient 1 had undergone an invasive cardiac procedure, and was lying on a gurney awaiting transfer to an intensive care unit, when the physician who had performed the invasive procedure proceeded to verbally and physically abuse the patient.								
	Findings:								
	Patient 1 was admitt Emergency Department that included chest properties implantation per the same summary, on "Diagnostic angiogra ADuring the proextremely combative additional doses of calm the patient dopatient was transferred The patient was discontinuous discontinuous patient was discontinuous	ent on 8/23/07 with pain, and history of discharge summary 8/24/07 Patient 1 upon performed by pocedure the paties and aggressiveHe fentanyl along with whom the intensive charged home from	h diagnoses f pacemaker y. Per the underwent a, y Physician ent became e was given h Haldol to t work. The care unit"	es cer che ca, an an me en to che"					
	On 8/29/07 at 2:00 P.N	/I., Employee 1 was	3/18/2008						
Event ID:		12:37:	15PM						

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. Except for nursing homes, the findings above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

State-2567 2 of 6

TITLE

(X6) DATE

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING			(X3) DATE SURVEY COMPLETED 08/30/2007	
(X4) ID PREFIX TAG	SUMMARY STA (EACH DEFICIENCY REGULATORY OR L	FULL	ID PREFIX TAG	(EACH (PROVIDER'S PLAN OF CORREC CORRECTIVE ACTION SHOULD ENCED TO THE APPROPRIATE	ON SHOULD BE CROSS- COMPLETE		
	Continued From page		lovee 1 said					
	interviewed by Department staff. Employee 1 said that staff from the cardiovascular laboratory notified facility management of an incident that occurred on 8/24/07, where Physician A allegedly verbally and physically abused a patient during and after an invasive cardiac procedure.							
	1, 2							
	interviewed by Departr	• •	e 2 was	10.5=	15014			
Event ID:I	BM3P11		3/18/2008	12:37:	15PM			

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. Except for nursing homes, the findings above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

State-2567 3 of 6

TITLE

(X6) DATE

DE17(1111)	ETT OF TOBEROTIES	•								
STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTII	PLE CONSTRUCTION	I ' '	(X3) DATE SURVEY COMPLETED			
050324				B. WING			0/2007			
NAME OF PROVIDER OR SUPPLIER SCRIPPS MEMORIAL HOSPITAL - LA JOLLA			STREET ADDRESS, CITY, STATE, ZIP CODE 9888 GENESEE AVENUE, LA JOLLA, CA 92037 SAN DIEGO COUNTY							
(X4) ID PREFIX TAG	(EACH DEFICIENCY	/ FULL	ID PREFIX TAG	PROVIDER'S PLAN OF (EACH CORRECTIVE ACTION REFERENCED TO THE APPRO	SHOULD BE CROSS-	(X5) COMPLETE DATE				
	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) Continued From page 3 present during and after the invasive cardiovascular procedure involving Patient A on 8/24/07. Employee 2 said that midway through the procedure, the patient became agitated, and that he [Employee 2] tried to talk with the patient and calm him down. Employee 2 said that the patient was moving his legs, trying to sit up and trying to reach up over the sterile drape and onto the area where the catheter was being inserted. Employee 2 said that during the procedure the patient was yelling, "At the top of his lungs." Employee 2 said that the physician made multiple physical attempts to control the patient during the procedure, which included squeezing the patient's hand, "chopping like" blows to the patient's abdomen [at the diaphragm level]. Also Employee 2 stated that Physician A used the tip of his elbow to hit Patient A on the forehead in attempts to get the patient to lie down during the procedure. Employee 2 said that at one point during the procedure, Employee 2 had his hand under the sterile drapes and on the patient's leg, to keep the leg from moving. Employee 2 said that Physician A started hitting the patient's leg, but the physician was actually hitting Employee 2's hand, "With a substantial amount of force." Employee 2 said that after the procedure was completed, Physician A left the cardiovascular laboratory and the patient was moved onto a gurney. Employee 2 said that both side rails on the gurney were pulled up and 3 other staff persons were immediately adjacent to the patient's condition.									
Event ID:	spoke loudly to Patien BM3P11		3/18/2008	12:37:	15PM					

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. Except for nursing homes, the findings above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

State-2567 4 of 6

AND PLAN OF CORRECTION IDENTIFIC		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING			(X3) DATE SURVEY COMPLETED	
		050324		B. WING			08/30/2007	
			STREET ADDRESS, 9888 GENESEE A			037 SAN DIEGO COU	INTY	
(X4) ID PREFIX TAG	SUMMARY STA (EACH DEFICIENCY REGULATORY OR L	FULL	ID PREFIX TAG	(EACH CORR		PLAN OF CORRECTION (X5) ACTION SHOULD BE CROSS- E APPROPRIATE DEFICIENCY) DATE		
	Continued From page 4							
	animal." Employee 2 then demonstrated how Physician A grabbed the patient's nose using his index and middle finger, pushing the palm of his hand down onto the patient's mouth, and forcefully twisting the patient's nose. Employee 2 said that the patient's nose became bluish in color. Employee 2 then demonstrated how Physician A grabbed Patient A's left upper inner arm, leaving indentations on the patient's skin. On 8/29/07 at 4:55 P.M., Employee 3 was interviewed by Department staff. Employee 3 said she was called in to the procedure room on 8/24/07 because of the patient's agitation. Employee 3 said she went to the head of the bed, and attempted to calm the patient down. Employee 3 said that the physician refused to allow staff to call for anesthesia to assist with the procedure. Employee 3 said that after the procedure, and while the patient was on the gurney, the physician, "grabbed and twisted the patient's nose. Employee 3 said that Physician A pushed his index finger into the patient's bicep while the patient was on the gurney. Employee 3 said that she had never seen the physician so mad and that the physician's "volatility was not new." On 8/30/07 at 1:40 P.M., Department staff met with facility administrative staff and informed them that Immediate Jeopardy had been called at the facility. The Immediate Jeopardy determination was made because initial interviews with facility staff on 8/29/07 corroborated the allegations that Physician A verbally and physically abused Patient 1 after the invasive procedure had been completed and while							
Event ID:	BM3P11		3/18/2008	12:37:	15PM			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. Except for nursing homes, the findings above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

State-2567 5 of 6

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING		COMPLET	(X3) DATE SURVEY COMPLETED	
050324			B. WING		08/3	0/2007		
NAME OF PRO	OVIDER OR SUPPLIER		STREET ADDRESS	, CITY, STATE, Z	IP CODE			
SCRIPPS I	MEMORIAL HOSPITAL - L	A JOLLA	9888 GENESEE	AVENUE, LA	JOLLA, CA 92037 SAN DIE	GO COUNTY		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)				PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS- REFERENCED TO THE APPROPRIATE DEFICIENCY)			
	Continued From page	5						
	the patient was lying o	n the aurnev.						
	the patient was lying on the gurney. The Immediate Jeopardy was abated on 8/30/07 at 6:10 P.M., after the Department had received a plan of correction from facility administrative staff. As a result of the determination of Immediate Jeopardy, the Center for Medicare Services [CMS] directed the Department to initiate a complaint validation survey. This survey was started on 8/30/07 at 2:00 P.M., while Immediate Jeopardy was still in place.							
Event ID:E	<u> </u> BM3P11		3/18/2008	12:37:	15PM			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNAT					TITLE		(X6) DATE	

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. Except for nursing homes, the findings above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

State-2567 6 of 6