

## California Influenza and Respiratory Disease Surveillance for Week 9 (February 27-March 5, 2011)

Note: This report includes data from many different sources of influenza surveillance, including syndromic surveillance, laboratory surveillance, voluntary case-based reporting of severely ill cases and mandatory reporting of influenza deaths for cases ages 0-17 years. The information contained in this report should be viewed as a “snapshot” of influenza activity for each surveillance week, and should not be considered as population-based data or representative of all California jurisdictions.

### Overall influenza activity in California for Week 9 remains “widespread.”\*

#### Influenza and Other Respiratory Disease Highlights (Week 9)

- With 77 sentinel providers reporting Week 9 data so far, influenza-like illness (ILI) activity decreased by 0.4% compared to the previous week. The ILI activity in California for Week 9 was “moderate.”\*\*
- Of 351 specimens tested by polymerase chain reaction (PCR) statewide by the Respiratory Laboratory Network (RLN) during Week 9, 181 (51.6%) were positive for influenza; of these, 142 (78.5%) were influenza A and 39 (21.5%) were influenza B. Of the 142 influenza A specimens, 56 (39.4%) were subtyped as A (H3) and 80 (56.3%) were subtyped as A (2009 H1N1); subtyping is pending for the remaining 6 (4.2%) specimens.
- The percentage of influenza detections in sentinel laboratories increased during Week 9; 890 (31.0%) of 2,868 specimens tested were positive compared to 949 (28.5%) of 3,326 specimens tested during the previous week.
- During Week 9, the proportion of specimens tested statewide by RLN and sentinel laboratories that were positive for respiratory syncytial virus (RSV) continued to decrease; 355 (14.5%) of 2,443 specimens tested were positive, compared to 493 (16.8%) of 2,943 specimens tested during the previous week.

\*Widespread activity is defined by the CDC as “outbreaks of influenza or increases in ILI cases and recent laboratory-confirmed influenza in at least half the regions of the state with recent laboratory evidence of influenza in the state.”

\*\*Activity levels range from minimal to high and are based on the percent of outpatient visits due to ILI compared to the average percent of ILI visits that occur during spring and fall weeks with little or no influenza virus circulation.


#### A. Syndromic Surveillance

##### CDC Influenza Sentinel Providers

Sentinel providers report the number of outpatient visits for ILI and the total number of visits per week. These data are reported weekly as a percentage of total visits due to ILI. The ILI case definition is fever (temperature of 100°F [37.8°C] or greater) and a cough and/or a sore throat in the absence of a known cause other than influenza.

The percentage of ILI visits decreased during Week 9 (3.8%) compared to the previous week (4.2%). A total of 77 sentinel providers reported data in Week 9 compared to an average of 126 providers reporting in prior weeks. Some ILI visits during recent weeks may not yet be reported.

**Figure 1. California Sentinel Providers – Influenza-Like Illness Visits, 2006-2011**



**B. Laboratory Update**

**1. Respiratory Laboratory Network (RLN) Surveillance Results**

The RLN is composed of 28 local public health laboratories that offer PCR testing for influenza A and B and testing using the R-mix shell vial culture system to identify five other common respiratory viruses (RSV, adenovirus, and parainfluenza virus type 1-3).

The percentage of specimens that tested positive for influenza decreased in Week 9 (51.6%) compared to Week 8 (56.9%). Of 351 specimens tested by the RLN during Week 9, 142 (40.5%) were positive for influenza A and 39 (11.1%) were positive for influenza B (Table 1). Of the 142 specimens that tested positive for influenza A, 56 (39.4%) were subtyped as influenza A (H3) and 80 (56.3%) as influenza A (2009 H1N1); subtyping is pending for the remaining 6 (4.2%) specimens.

**Table 1. Respiratory Laboratory Network (RLN) Surveillance Results from Selected Laboratories\*, February 27–March 5, 2011**

	<b>Total RLN*</b> <b>No. (%)</b>	<b>Northern CA</b> <b>(%)No.</b>	<b>Central CA</b> <b>No. (%)</b>	<b>Southern CA</b> <b>No. (%)</b>
<b>Number of specimens tested by PCR</b>	<b>351</b>	<b>129</b>	<b>49</b>	<b>173</b>
Influenza A	142(40.5) <sup>†</sup>	62(48.1) <sup>†</sup>	27(55.1) <sup>†</sup>	53(30.6) <sup>†</sup>
A (seasonal H1N1)	0(0.0) <sup>‡</sup>	0(0.0)	0(0.0)	0(0.0)
A (H3)	56(39.4) <sup>‡</sup>	29(46.8) <sup>‡</sup>	7(25.9) <sup>‡</sup>	20(37.7) <sup>‡</sup>
A (2009 H1N1)	80(56.3) <sup>‡</sup>	33(53.2) <sup>‡</sup>	16(59.3) <sup>‡</sup>	31(58.5) <sup>‡</sup>
A (subtyping pending)	6(4.2) <sup>‡</sup>	0(0.0)	4(14.8) <sup>‡</sup>	2(3.8) <sup>‡</sup>
Influenza B	39(11.1) <sup>†</sup>	8(6.2) <sup>†</sup>	3(6.1) <sup>†</sup>	28(16.2) <sup>†</sup>
<b>Number of specimens tested by R-mix</b>	<b>41</b>	<b>3</b>	<b>38</b>	<b>0</b>
RSV	0(0.0) <sup>¶</sup>	0(0.0)	0(0.0)	0(0.0)
Other respiratory viruses	1(2.4) <sup>¶,††</sup>	11(33.3) <sup>¶</sup>	0(0.0)	0(0.0)

\* RLN labs reporting Week 9 data, by region:

Northern CA: Contra Costa, Humboldt, Placer,

Sacramento, San Francisco, Santa Clara, Shasta, Sonoma

Central CA: Fresno, Monterey, San Joaquin, Tulare

Southern CA: Kern, Long Beach, Orange, Riverside, San Diego, Santa Barbara

<sup>†</sup> Percent of total specimens tested for influenza by PCR

<sup>‡</sup> Percent of influenza A positives

<sup>¶</sup> Percent of total specimens tested by R-mix

<sup>††</sup> Parainfluenza type 2 (1)

## 2. Sentinel Laboratory Surveillance Results

Sentinel laboratories are a network of clinical, commercial, academic, and hospital laboratories located throughout California that provide weekly data on the number of laboratory-confirmed influenza and other respiratory virus detections and isolations.

Table 2 shows positive influenza and RSV results reported from sentinel laboratories during Week 9. The percentage of specimens that tested positive for influenza increased in Week 9 (890 of 2,868; 31.0%) compared to the previous week (949 of 3,326; 28.5%). Of the 890 influenza positive specimens, 577 (64.8%) were positive for influenza A and 313 (35.2%) were positive for influenza B. Of 2,402 specimens tested for RSV during Week 9, 355 (14.8%) were positive. This was a decrease from the previous week, when 490 (16.9%) of 2,905 specimens tested positive for RSV.

**Table 2. Influenza and other respiratory virus detections from Sentinel Laboratories, February 27–March 5, 2011**

	No. (%)
<b>Number of sites reporting</b>	<b>68</b>
<b>Total specimenstested for influenza</b>	<b>2,868</b>
Influenza	890 (31.0)*
Influenza A	577 (64.8)**,†
Influenza B	313 (35.2)**,‡
<b>Total specimens tested for RSV</b>	<b>2,402</b>
RSV	355 (14.8)*,¶

\* Percent of total specimens tested

\*\* Percent of specimens positive for influenza

Total number of positive lab results reported, by local health jurisdiction of patient's residence and/or site location:

† Alameda (74), Contra Costa (47), Fresno (48), Imperial (6), Long Beach (20), Los Angeles (34), Madera (5), Marin (6), Merced (2), Napa (2), Orange (9), Placer (24), Riverside (2), Sacramento (56), San Bernardino (2), San Diego (22), San Francisco (34), San Joaquin (20), San Mateo (26), Santa Clara (65), Solano (33), Sonoma (20), Stanislaus (17), Tulare (2), Yolo (1)


‡ Alameda (64), Contra Costa (16), Fresno (58), Imperial (4), Kern (2), Long Beach (11), Los Angeles (15), Madera (1), Marin (2), Merced (6), Placer (6), Riverside (2), Sacramento (12), San Bernardino (3), San Diego (3), San Francisco (9), San Joaquin (5), San Mateo (12), Santa Clara (50), Solano (13), Sonoma (11), Stanislaus (7), Tulare(1)

¶ Alameda (32), Contra Costa (24), Fresno (45), Imperial (9), Kern (5), Kings (1), Long Beach (20), Los Angeles (25), Marin (1), Merced (3), Napa (1), Orange (5), Placer (16), Riverside (5), Sacramento (43), San Bernardino (6), San Diego (33), San Francisco (7), San Joaquin (4), San Mateo (9), Santa Clara (28), Solano (16), Sonoma (4), Stanislaus(9), Tulare (3), Yolo (1)


### 3. Combined RLN and Sentinel Laboratory Surveillance Results

Figures 2 through 4 summarize the combined laboratory data from both the RLN and the sentinel laboratories. Figure 2 shows that influenza detections increased in Week 9 (33.3%) compared to the previous week (31.3%). A total of 1,071 samples tested positive for influenza in Week 9, including 719 (67.1%) influenza A and 352 (32.9%) influenza B (Figure 3). Figure 4 shows that the percentage of RSV detections continues a downward trend that began in Week 1 (January 2–8, 2011).


**Figure 2. Influenza detections in Respiratory Laboratory Network and Sentinel Laboratories, 2006-2011**



**Figure 3. Influenza detections in Respiratory Laboratory Network and Sentinel Laboratories, by Influenza Type**



**Figure 4. RSV detections in Respiratory Laboratory Network and Sentinel Laboratories, 2006-2011**



For questions regarding this report or influenza surveillance and reporting in California, please email [InfluenzaSurveillance@cdph.ca.gov](mailto:InfluenzaSurveillance@cdph.ca.gov). This account is monitored daily by several epidemiologists.

To obtain additional information regarding influenza, please visit the CDPH influenza website at [Influenza \(Flu\) and Other Respiratory Diseases](#)